



Solometrics Ltd

Finished Product Specification

Code: **HZS1**
Description: **Hydrazinium Sulfate**
Reason For Issue: **New**
CAS: **10034-93-2**

Date: **03/03/10**
Issue No: **1**
Supersedes: **N/A**

<u>Test No:</u>	<u>Description:</u>	<u>Specification:</u>	<u>Method No:</u>
1	Assay	99.0% min	HZS1/1
2	Calcium	0.001 % max	HZS1/2
3	Copper	0.005 % max	HZS1/3
4	Iron	0.001 % max	HZS1/4
5	Lead	0.005 % max	HZS1/5
6	Magnesium	0.005 % max	HZS1/6
7	Sodium	0.002 % max	HZS1/7
8	Zinc	0.005 % max	HZS1/8
9	Potassium	0.001 % max	HZS1/9
10	Total Chloride	0.002 % max	HZS1/10
11	Total Silicon	0.002 % max	HZS1/11

Age limitations: **Re-Test after 2 years**

Additional requirements: **Certificate of analysis required with each delivery/Batch**

Testing: **To the above specification**

Approvals:

For Issue

Quality Control Supervisor or Appointed Deputy

Quality Assurance Manager or Appointed Deputy

CUSTOMER

Please review the above information and if acceptable for our use sign below and return. This will become part of our contract to supply.

Accepted on behalf as _____

Signed _____